



**NOTES:**

- FOR WAVES NOT EXCEEDING CRESTS OF 3 FEET.
- FOR WINDS NOT EXCEEDING 110 M.P.H.
- FOR TEMPERATURES THAT PRECLUDES MASSIVE ICE FLOES IN THE SPRING.
- PRESSURE TREATED WOOD SHOULD RETAIN THE EQUIVALENT OF 8 LBS. OF CREOSOTE PER CU. FT.
- ALL METAL FASTENERS TO BE GALVANIZED.
- DESIGN BENDING FIBER STRESS:
  - RAFTERS.....1200 LBS. PER SQ. IN.
  - MULTIPLE MEMBERS.....1400 " " " "
  - PILING.....4500 " " " "



SCALE: 3/16" = 1'-0"

**LSU**  
**AgCenter**  
Research & Extension

**BOAT LANDING**

USDA '65 EX. 5975 SHEET 1 OF 2



## Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.