



FLOOR PLAN
1188 SQ. FT. HEATED AREA




DOOR SCHEDULE			
MARK	SIZE	DESCRIPTION	#REQ
1	3'-0" x 6'-8"	SOLID CORE EXTERIOR GLAZED	3
2	2'-8" x 6'-8"	HOLLOW CORE INTERIOR	6
3	2'-0" x 6'-8"	WOOD BI-FOLD	3
4	1'-6" x 6'-8"	WOOD BI-FOLD	4
5	1'-9" x 6'-8"	WOOD BI-FOLD	10
6	2'-0" x 6'-8"	HOLLOW CORE INTERIOR	2

WINDOW SCHEDULE			
MARK	SIZE	DESCRIPTION	#REQ
A	2'-6" x 4'-2"	WOOD DOUBLE HUNG	14
B	2'-6" x 3'-0"	WOOD DOUBLE HUNG	2

USE INSULATED GLASS FOR ALL WINDOWS




PERSPECTIVE VIEW
(NOT TO SCALE)



NOTE: BASEMENT FLOOR - 4" CONCRETE SLAB ON 6" GRAVEL FILL, VAPOR BARRIER BETWEEN SLAB AND GRAVEL FILL. 6x6 IO.G.A. WELDED WIRE MESH REINFORCING.

WALL SECTION



LSU
AgCenter
Research & Extension

2 BEDROOM FARMHOUSE

USDA 60	7159	SHEET 1 OF 2
REV. 85		

