


FLOOR PLAN

12' 0 1 2 4
SCALE 1/4" = 1'-0"

1288 SQ FT HEATED AREA



PERSPECTIVE
(no scale)

LSU
AgCenter
Research & Extension


3 BEDROOM HOUSE
W/ EMERGENCY SHELTER

USDA '65


7175

SHEET 1 OF 4


REV. '88




FRONT ELEVATION



RIGHT ELEVATION




REAR ELEVATION



LEFT ELEVATION

ALL ELEVATIONS



SCALE 1/8" = 1'-0"

WINDOW SCHEDULE			
MARK	SIZE	DESCRIPTION	#REQ
A	6'-3" x 4'-0"	SLIDING	3
B	7'-6" x 4'-0"	SLIDING W/FIXED PANE	1
C	3'-0" x 4'-0"	SLIDING	3
D	5'-0" x 3'-0"	SLIDING	1
E	2'-6" x 3'-0"	SLIDING	2


DOOR SCHEDULE			
MARK	SIZE	DESCRIPTION	#REQ
1	3'-0" x 6'-8"	SOLID CORE EXTERIOR	3
2	6'-0" x 6'-8"	SLIDING GLASS	1
3	2'-6" x 6'-8"	HOLLOW CORE INTERIOR	3
4	2'-8" x 6'-8"	HOLLOW CORE INTERIOR	5
5	3'-0" x 6'-8"	HOLLOW CORE SLIDING	4
6	2'-6" x 6'-8"	HOLLOW CORE SLIDING	6

CONSTRUCTION CHECK LIST

- CHECK LOCAL BUILDING CODE AND LOAN COMPANY CRITERIA. PURCHASE TRUSSES TO MEET LOCAL SNOW LOAD CRITERIA.
- ADEQUATELY NAIL AND ANCHOR JOINTS.
- DOUBLE JOISTS UNDER TUBS AND OTHER HEAVY LOADS.
- SHEATH CORNERS WITH 1/2" PLYWOOD OR HIGH DENSITY FIBERBOARD OR USE DIAGONAL BRACING.
- USE EXTERIOR GLUED PLYWOOD WHEREVER IT MAY BE WETTED DURING OR AFTER CONSTRUCTION.
- PRESSURE TREAT ALL WOOD WITH GROUND CONTACT AND PROVIDE OTHER NEEDED TERMITE CONTROL.
- R VALUES DEPEND ON LOCAL CLIMATE AND FUEL COSTS.
- PROVIDE 1 SQ FT OF ATTIC VENT OPENINGS FOR EACH 150 SQ FT OF CEILING.
- WEATHERIZE ALL OPENINGS AND JOINTS.




3 BEDROOM HOUSE
W/ EMERGENCY SHELTER




FOUNDATION PLAN

SCALE 1/8" = 1'-0"



SECTION D-D

SCALE 3/8" = 1'-0"




TYPICAL WALL SECTION





3 BEDROOM HOUSE
W/ EMERGENCY SHELTER

USDA '65 7175 SHEET 3 OF 4



REV. '88





SHELTER FLOOR PLAN





SECTION A-A




SCALE 1/4" = 1'-0" SECTION B-B




PLAN OF CEILING SLAB



SHELTER WALL SECTION



SCALE 1/2" = 1'-0"



BERTH SUPPORTS

NOT TO SCALE

LSU AgCenter Research & Extension		
3 BEDROOM HOUSE W/ EMERGENCY SHELTER		
USDA '65	7175	SHEET 4 OF 4
REV. 1988		