

HEATED AREA - 1400 SQ. FT.


FLOOR PLAN SCALE 1/4" = 1'-0"

CONSTRUCTION CHECK LIST

1. CHECK LOCAL BUILDING CODE AND LOAN COMPANY CRITERIA. PURCHASED TRUSSES SHOULD MEET LOCAL SNOW LOAD CRITERIA.
2. ADEQUATELY NAIL AND ANCHOR JOINTS.
3. SHEATH CORNERS WITH 1/2" PLYWOOD OR HIGH DENSITY FIBERBOARD OR USE DIAGONAL BRACING.
4. USE EXTERIOR GLUED PLYWOOD WHEREVER IT MAY BE WEIETED DURING OR AFTER CONSTRUCTION.
5. PRESSURE TREAT ALL WOOD WITH GROUND CONTACT AND PROVIDE OTHER NEEDED TERMITE CONTROL.
6. R VALUES DEPEND ON LOCAL CLIMATE AND FUEL COSTS.
7. PROVIDE 1 SQ FT OF ATTIC VENT OPENINGS FOR EACH 150 SQ FT OF CEILING.
8. WEATHERIZE ALL OPENINGS AND JOINTS.
9. DOUBLE JOISTS UNDER TUBS AND OTHER HEAVY LOADS.


WINDOW SCHEDULE			
MARK	SIZE	DESCRIPTION	NO. REQ'D
A	3'-4" X 4'-0"	DOUBLE HUNG INSULATED GLASS	12
B	2'-11" X 1'-6" / 7'-8"	BASEMENT INSULATED GLASS	7

DOOR SCHEDULE			
MARK	SIZE	TYPE	NO. REQ'D
1	3'-0" X 6'-8"	EXTERIOR DOOR	3
2	3'-0" X 6'-8"	FOLDING DOOR	4
3	1'-3" X 6'-8"	GLASS PANELED DOOR	2
4	2'-3" X 6'-8"	INTERIOR FIBR PANEL	4
5	4'-3" X 6'-8"	FOLDING DOOR	8
6	2'-2" X 6'-8"	INTERIOR FIBR PANEL	3
7	3'-0" X 6'-8"	SLIDING DOOR	2




RIGHT SIDE ELEVATION

SCALE 1/8" = 1'-0"




LEFT SIDE ELEVATION

SCALE 1/8" = 1'-0"




FRONT ELEVATION

SCALE 1/8" = 1'-0"




REAR ELEVATION

SCALE 1/8" = 1'-0"



PERSPECTIVE VIEW  
(NOT TO SCALE)



USE 8-12D NAILS (FROM FRONT)  
9-8D NAILS (FROM BACK)

1/2" PLYWOOD GUSSET  
(BOTH SIDES)

HEEL JOINT

RIDGE JOINT

CHORD DIAGONAL JOINT

RAFTER DIAGONAL JOINT

CENTER SPLICE JOINT

TRUSS DETAILS

SCALE 3/4" = 1'-0"

NOTE:  
COMMERCIALLY MANUFACTURED TRUSSES  
MAY BE SUBSTITUTED.

SCALE 3/8" = 1'-0"

SECTION A-A

SCALE 1/2" = 1'-0"

SCALE 1/8" = 1'-0"

FOUNDATION PLAN

SCALE 1/8" = 1'-0"



3 BEDROOM HOUSE

FLA-VA 65 7180 SHEET 3 OF 3

REVISED 1985

FIREPLACE DETAIL

SCALE 1/2" = 1'-0"