

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION AND MANUFACTURER¹ | | | |
|--|--|---|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| 2,4-D amine or ester | 2,4-D | several | several |
| 2,4-DB | 2,4-DB | several | several |
| Aatrex and others | atrazine | 4L, 90 DF | several |
| Accent Q | nicosulfuron | 54.5 WDG | DuPont |
| Acclaim | fenoxaprop | 1 EC | Bayer |
| Acclaim Extra | fenoxaprop | 0.57 E | Bayer |
| Accord Concentrate | glyphosate | 4 SL (acid eq.) | Dow AgroSciences |
| Aim | carfentrazone | 40 DG; 2 EC; 1.9 EW | FMC |
| Alanap | naptalam | 2 L | Crompton Uniroyal |
| Ally XP | metsulfuron | 60 DF | DuPont |
| Anthem | pyroxasulfone + fluthiacet-methyl | 2.15 SE (2.087 + 0.063 lb/gal) | FMC |
| Anthem ATZ | pyroxasulfone + fluthiacet-methyl + atrazine | 4.505 SE (0.485 + 0.014 + 4.006 lb/gal) | FMC |
| Armezon | topramezone | 2.8 L | BASF |
| Arsenal A.C. | imazapyr | 4 AC | BASF |
| Assure II | quizalofop | 0.88 EC | DuPont |
| Asulox | asulam | 3.3 EC | UPI |
| Authority | sulfentrazone | 75 DF | FMC |
| Authority MTZ | sulfentrazone + metribuzin | 45 DG (18 + 27%) | FMC |
| Authority XL | sulfentrazone + chlorimuron | 70 DG (62.22 + 7.78%) | FMC |
| Avast! SC | fluridone | 4 SC | SePro |
| Axial XL | penoxaden | 0.83 EC | Syngenta |
| Balan | benefin | 60 DF; 2.5G | Dow AgroSciences |
| Balance Flexx | isoxaflutole | 2.05 L | Bayer |
| Banvel | dicamba | 4 SL | Microflo |
| Barrage HF | 2,4-D ester | 4.7 EC | Helena |
| Barricade | prodiamine | 65 WG | Syngenta |
| Basagran | bentazon | 4 SL | AgriSolutions |
| Basagran T/O | bentazon | 4 L | AgriSolutions |
| Basamid G | dazomet | 99 G | Certis USA |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION AND MANUFACTURER¹ continued: | | | |
|---|--|-----------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Betasan; Bensumec | bensulide | 4 E | PBI Gordon |
| Beyond | imazamox | 1 S | BASF |
| Bicep II Magnum | S-metolachlor + atrazine | 5.5 L (3.1 + 2.4 lb/gal) | Syngenta |
| Bolero | thiobencarb | 8 EC | Valent |
| Boundary | S-metolachlor + metribuzin | 6.5 EC (5.25 + 1.25 lb/gal) | Syngenta |
| Broadhead | carfentrazone + quinclorac | 7 L (0.027 + 0.46 lb/gal) | FMC |
| Broadstar | flumioxazin | 0.25 G | Valent |
| Buctril | bromoxynil | 4 EC; 2 EC | Bayer |
| Butoxone 200 | 2,4-DB | 2 SL | Cedar Chemical |
| Butyrac 200 | 2,4-DB | 2 SL | Albaugh |
| Cadet | fluthiacet methyl | 0.91 EC | FMC |
| Callisto | mesotrione | 4 L | Syngenta |
| Canopy DF | metribuzin + chlorimuron | 75 DF (64.3 + 10.7%) | DuPont |
| Canopy EX | chlorimuron + tribenuron | 29.5% WDG (22.7% + 6.8%) | DuPont |
| Caparol | prometryn | 80 DF; 4 L | Syngenta |
| Capreno | thiencarbazone-methyl + tembotrione | 3.45 L (0.57 + 2.88 lb/gal) | Bayer |
| Casoron | dichlobenil | 2 G; 4 G | Crompton |
| Celsius | iodosulfuron + thiencarbazone-methyl + dicamba | 68 WG (1.9 + 8.7 + 57.4%) | Bayer |
| Certainty | sulfosulfuron | 75 DF | Monsanto |
| Chaser | 2,4-D + triclopyr | 3 S (2 + 1 lb/gal) | Verdicon |
| Chateau | flumioxazin | 51 SW; 51 WDG | Valent |
| Chopper | imazapyr | 2 S | BASF |
| Cimarron Max | metsulfuron + 2,4-D + dicamba | 60 DF and 1.87 + 1 lb/gal | DuPont |
| Cimarron Plus | metsulfuron + chlorsulfuron | 63 DF (48 + 15%) | DuPont |
| Cinch | S-metolachlor | 7.64 EC | DuPont |
| Cinch ATZ | S-metolachlor + atrazine | 5.5 F (3.1 + 2.4 lb/gal) | DuPont |
| Clarity | dicamba | 4 S | BASF |
| Classic | chlorimuron | 25 DF | DuPont |
| Clearcast | imazamox | 1 SC | BASF |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION AND MANUFACTURER¹ continued: | | | |
|---|--------------------------------------|---------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Clearpath | imazethapyr + quinclorac | 75 DF | BASF |
| Clincher SF | cyhalofop | 2.38 L | Dow AgroSciences |
| Clipper | flumioxazin | 51% WDG | Valent |
| Cobra | lactofen | 2 EC | Valent |
| Command | clomazone | 3 ME | FMC |
| Confront | triclopyr + clopyralid | 3 L (2.25 + 0.75 lb/gal) | Dow AgroSciences |
| Corsair | chlorsulfuron | 75 WDG | Nufarm |
| Corvus | thiencarbazone-methyl + isoxaflutole | 2.63 SC (0.75 + 1.88) | Bayer |
| Costarr | glyphosate + dicamba | 2.1 EC (1.5 + 0.6 lb/gal) | Albaugh |
| Cotoran | fluometuron | 4 L; 80 DF | MANA |
| Cotton-Pro | prometryn | 4 L | DuPont |
| Crossbow | 2,4-D + triclopyr | 3 S (2 + 1 lb/gal) | Dow AgroSciences |
| Curbit | ethalfluralin | 3 EC | Platte Chemical |
| Dacthal; DCPA | DCPA | 75 WP; 6 L; 5 G | Amvac Chemical |
| Degree | acetochlor | 3.8 SL | Monsanto |
| Delta Goal | oxyfluorfen | 4 EC | Dow AgroSciences |
| Devrinol | napropamide | 2 G; 2 EC | United Phosphorus |
| Dimension | dithiopyr | 2 EC; 1 EC | Dow AgroSciences |
| Direx | diuron | 4 L | MANA |
| Dismiss | sulfentrazone | 4L | FMC |
| Drive | quinclorac | 75 DF | BASF |
| DSMA Plus | DSMA | 3.8 SL | UAP-Loveland |
| Dual II Magnum | S-metolachlor | 7.64 EC | Syngenta |
| Dual Magnum | S-metolachlor | 7.62 EC | Syngenta |
| Duet | propanil + bensulfuron | 60 DF (60 + 0.46%) | RiceCo |
| DuPont K-4 | diuron + hexazinone | 60 DG (46.8 + 13.2%) | DuPont |
| Dyclomec | dichlobenil | 4 G | PBI Gordon |
| Echelon | sulfentrazone + prodiamine | 4 SC (13.6 + 27.3%) | FMC |
| Endurance | prodiamine | 65 WDG | Syngenta |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION AND MANUFACTURER¹ continued: | | | |
|---|--|--------------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Enlite | chlorimuron + flumioxazin + thifensulfuron | 47.9 WDG (2.85 + 36.21 + 8.8%) | DuPont |
| Envive | chlorimuron + flumioxazin + thifensulfuron | 41.3 WDG (9.2% + 29.2% + 0.9%) | DuPont |
| Envoke | trifloxysulfuron | 75 DG | Syngenta |
| Envoy | clethodim | 0.94 EC | Valent |
| Eptam | EPTC | 7 EC | Syngenta |
| Escort | metsulfuron | 60 DF | DuPont |
| ET | pyraflufen ethyl | 0.208 EC | Nichino |
| Exceed | primisulfuron + prosulfuron | 57 DF (28.5 + 28.5%) | Syngenta |
| Express | tribenuron | 75 DF | DuPont |
| Facet | quinclorac | 75 DF | BASF |
| Factor | prodiamine | 65 WSG | Syngenta |
| Fierce | flumioxazin + pyroxasulfone | 76 WDG (33.5 + 42.5%) | Valent |
| Finale | glufosinate | 1 SL | Bayer |
| Finesse | chlorsulfuron + metsulfuron | 75 DF (62.5 + 12.5%) | DuPont |
| FirstRate | cloransulam | 84 DF | Dow AgroSciences |
| FirstShot SG | thifensulfuron + tribenuron | 50% SG (25% + 25%) | DuPont |
| Flexstar GT 3.5 | fomesafen + glyphosate | 2.82 L (0.56 + 2.66 lb/gal) | Syngenta |
| Flexstar, Rhythm | fomesafen | 1.88 ME | Syngenta; Cheminova |
| Forestry Garlon 4 | triclopyr | 4 SL | Dow AgroSciences |
| FreeHand | dimethenamid-P + pendimethalin | 1.75 G (0.375 + 0.5 lb/gal) | BASF |
| Frontrow | cloransulam + flumetsulam | co-pack 84% + 80% | Dow AgroSciences |
| Fusilade DX | fluazifop | 2 EC | Syngenta |
| Fusion | fluazifop + fenoxaprop | 2.56 EC (2 + 0.56 lb/gal) | Syngenta |
| Galigan | oxyfluorfen | 2 E | MANA |
| Galleon | penoxsulam | 2 SC | SePRO |
| Gallery | isoxaben | 75 DF | Dow AgroSciences |
| Garlon | triclopyr | 4 L | Dow AgroSciences |
| Glory; Metribuzin 75 DF | metribuzin | 75 DG | various |
| glyphosate formulations | glyphosate | various | various |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION AND MANUFACTURER¹ continued: | | | |
|---|---|--|------------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Goal 2XL; Goal T/O | oxyfluorfen | 2 EC; 1.6 EC | Dow AgroSciences |
| Goosegrass/Crabgrass Control | oxadiazon + bensulide | 6.56 G (1.31 + 5.25%) | Scotts |
| Gramoxone, Parazone, Quik-Quat | paraquat | 2 SL | Syngenta; Drexel; MANA |
| Grandstand R | triclopyr | 3 SL | Dow AgroSciences |
| Grasp | penoxsulam | 2 EC | Dow AgroSciences |
| Grasp Xtra | penoxasulam + triclopyr | 2.31 EC (0.25 + 2.06 lb/gal) | Dow AgroSciences |
| Grazon P + D | picloram + 2,4-D | 2.54 L (0.54 + 2 lb/gal) | Dow AgroSciences |
| GrazonNext | aminopyralid + 2,4-D | 3 lb/gal (0.33 + 2.67 lb/gal) | Dow AgroSciences |
| Guardsman Max | atrazine + dimethenamid | 5 L (3.3 + 1.7 lb/gal) | BASF |
| Habitat | imazapyr | 2.0 lb/gal | BASF |
| Halex GT | mesotrione + S-metolachlor + glyphosate | 4.4 L (0.209 + 2.09 + 2.09) | Syngenta |
| Halo Max 75 | halosulfuron | 75 WG | Aceto |
| Harmony Extra | thifensulfuron + tribenuron | 75 DF (50 + 25%) | DuPont |
| Harness Extra | acetochlor + atrazine | 5.6 L (3.1 + 2.5 lb/gal); 6 L (4.3 + 1.7 lb/gal) | Monsanto |
| Harness, Warrant | acetochlor | 7 EC | Monsanto |
| Hoelon | diclofop | 3 EC | Bayer |
| Hyvar X | bromacil | 80 WP | DuPont |
| Ignite | glufosinate | 2.38 SL | Bayer |
| Illoxan | diclofop | 3 EC | Bayer |
| Image | imazaquin | 1.5 EC; 70 DG | BASF |
| Impact | topramezone | 2.8 L | AMVAC |
| Integrity | saflufenacil + dimethenamid | 5.5 L | BASF |
| Intrro | alachlor | 4.51 EC | Monsanto |
| Journey | glyphosate + imazapic | 1.5 + 0.75 SL | BASF |
| Karmex | diuron | 4 L; 80 DF | MANA |
| Katana | flazasulfuron | 25 DF | PBI Gordon |
| Kerb | pronamide | 50 W | Dow AgroSciences |
| Krenite S | fosamine | 4 S | DuPont |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION, AND MANUFACTURER¹ continued: | | | |
|--|---------------------------------------|-------------------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Krovar | bromacil + diuron | 80 DF (40 + 40%) | DuPont |
| Lasso | alachlor | 4 F | Monsanto |
| Laudis | tembotrione | 3.5 L | Bayer |
| LeadOff | rimsulfuron + thifensulfuron | 33.4 WG (16.7 + 16.7%) | DuPont |
| League | imazosulfuron | 75 WG | Valent |
| Lesco PRE-M | pendimethalin | 50 WP (others) | Lesco |
| Lescosan | bensulide | 4 L (others) | Lesco |
| Lexar EZ | atrazine + S-metolachlor + mesotrione | 3.67 L (1.74 + 1.74 + 0.224 lb/gal) | Syngenta |
| Liberty 280 | glufosinate | 2.34 SL | Bayer |
| Linex/Lorox | linuron | 4 L | NovaSource |
| Londax | bensulfuron | 60 DF | DuPont |
| Lontrel | clopyralid | 3 L | Dow AgroSciences |
| Manor, Blade, Mansion, MSM | metsulfuron | 60 WDG | Nufarm; Riverdale |
| Marksman | dicamba + atrazine | 3.2 L (1.1 + 2.1 lb/gal) | BASF |
| Matrix | rimsulfuron | 25 DF | DuPont |
| MCP amine | MCPA | 4 SL | Loveland; Platte |
| MCPP | MCPP | 4 L | Verdicon |
| Mecomec | mecoprop | 2.5 L | PBI Gordon |
| Micro-Tech | alachlor | 4 ME | Monsanto |
| Milestone | aminopyralid | 2 lb/gal | Dow AgroSciences |
| Monument | trifloxysulfuron | 75 WG | Syngenta |
| MSMA (others) | MSMA | 6 SL; 6.6 SL | several |
| Newpath | imazethapyr | 2 AS | BASF |
| OH II | oxyfluorfen + pendimethalin | 3 G (2% + 1%) | Scotts |
| Osprey | mesosulfuron | 4.5 DF | Bayer |
| Oust | sulfometuron | 75 WDG | DuPont |
| Outlook | dimethenamid-p | 6 EC | BASF |
| Outrider | sulfosulfuron | 75 WP | Monsanto |
| Overdrive | dicamba + diflufenzopyr | 0.7 L (0.5 + 0.2 lb/gal) | BASF |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION, AND MANUFACTURER¹ continued: | | | |
|--|---|---|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Paramount | quinclorac | 75 DF | BASF |
| Parrlay | metolachlor | 8 EC | Monsanto |
| Partner | alachlor | 4 ME | Monsanto |
| Pastora | nicosulfuron + metsulfuron-methyl | 71.2 DF (56.2 + 15%) | DuPont |
| PastureGard | triclopyr + fluroxypyr | 1.5 + 0.5 | Dow AgroSciences |
| Peak | prosulfuron | 57 DG | Syngenta |
| Pendimax | pendimethalin | 3.3 EC | Dow AgroSciences |
| Pendulum | pendimethalin | 3.3 EC; 2 G; 60 WDG | BASF |
| Pendulum AquaCap | pendimethalin | 3.8 lb/gal | BASF |
| Pennant Magnum | S-metolachlor | 7.62 EC | Syngenta |
| Permit | halosulfuron | 75 DG | Gowan |
| Phytar 560 | cacodylic acid | 2.48 EC | Drexel |
| Plateau | imazapic | 70 DG | BASF |
| Poast | sethoxydim | 1.5 EC | Microflo |
| Poast Plus | sethoxydim | 1 EC | Microflo |
| Power Zone | carfentrazone + MCPA + mecoprop + dicamba | 2.9 EC (0.04 + 2.21 + 0.44 + 0.22 lb/gal) | PBI Gordon |
| Powerflex HL | pyroxulam | 0.13 WG | Dow AgroSciences |
| Pramitol | prometon | 25 E (25% active liquid) | Agrilience |
| Predict | norflurazon | 80 DF | Syngenta |
| Prefar | bensulide | 4 E | Gowan |
| Prefix | S-metolachlor + fomesafen | Co-Pak (7.62 EC/2 LC) | Syngenta |
| Pre-san | bensulide | 7 G | PBI Gordon |
| Princep; Simazine; Caliper | simazine | 4 L; 90 DG | Syngenta |
| Prograss | ethofumesate | 1.5 EC | Bayer |
| Prompt | bentazon + atrazine | 5 L (2.5 + 2.5 lb/gal) | Microflo |
| Pronone | hexazinone | 10 G; 2.5 G | Proserve |
| Prowl | pendimethalin | 3.3 EC | BASF |
| Prowl H ₂ O | pendimethalin | 3.8 CS | BASF |
| Pursuit | imazethapyr | 2 AS; 70 DG | BASF |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION, AND MANUFACTURER¹ continued: | | | |
|--|--|--------------------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Pyramin | pyrazon | 65 DF | Microflo |
| Python | flumetsulam | 80 WDG | Dow AgroSciences |
| Q4 Plus | quinclorac + sulfentrazone + dicamba + 2,4-D | 22.4 L (8.43 + 0.69 + 11.81 + 1.49%) | PBI Gordon |
| Quicksilver | carfentrazone | 1.9 L | FMC |
| Rage D-Tech | carfentrazone + 2,4-D LVE | 67 EC (1.44 + 65.52%) | FMC |
| Rage G | carfentrazone + glyphosate | 5.04 SL (0.04 + 5 lb/gal) | FMC |
| Raptor | imazamox | 1 AS | BASF |
| RebelEX | penoxulam + cyhalofop | 2.03 L (0.25 + 1.78) | Dow AgroSciences |
| Reflex, Dawn | fomesafen | 2 LC | Syngenta; Cheminova |
| Regalkade | prodiamine | 65 WG | Regal |
| Regiment | bispyribac | 80 DF | Valent |
| Remedy | triclopyr | 4 SL | Dow AgroSciences |
| Renovate | triclopyr | 3.0 lb/gal | SePro |
| Resolve Q | rimsulfuron + thifensulfuron | 22.4 DF (18.4 + 4%) | DuPont |
| Resource | flumiclorac | 0.86 EC | Valent |
| Revolver | foramsulfuron | 0.19 L | Bayer |
| Reward | diquat | 2 SL | Syngenta |
| RiceBeaux | propanil + thiobencarb | 6 SL (35% + 31%) | RiceCo |
| Ricestar HT | fenoxaprop | 0.58 EW | Bayer |
| Ronstar | oxadiazon | 50 SP; 2 G | Bayer |
| Roundup formulations | glyphosate | various | Monsanto |
| Rout | oxyfluorfen + oryzalin | 2 G (2% + 1%) | Scotts |
| Rubigan | fenarimol | 50 WSP | Gowan |
| Sahara DG | imazapyr + diuron | 70 DG (7.78 + 62.22%) | BASF |
| Sandea | halosulfuron | 75 DF | Gowan |
| Scepter | imazaquin | 70 DG | BASF |
| Sedgehammer | halosulfuron | 75 DF | Gowan |
| Segment | sethoxydim | 1 EC | BASF |
| Select and others | clethodim | 2 EC | various |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION, AND MANUFACTURER¹ continued: | | | |
|--|--|---|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Select Max | clethodim | 0.97 EC | Valent |
| Sempra | halosulfuron | 75 DF | Nufarm |
| Sencor and others | metribuzin | 4 L; 75 DF | various |
| Sequence | glyphosate + S-metolachlor | 5.25 F (2.25 + 3 lb/gal) | Syngenta |
| Shapshot | trifluralin + isoxaben | 2.5 TG (2% + 0.5%) | Dow AgroSciences |
| Sharpen | safllufenacil | 2.85 SC | BASF |
| Showcase | isoxaben + oxyfluorfen + trifluralin | 1.25 G (0.25 + 0.25 + 2%) | Dow AgroSciences |
| Sinbar | terbacil | 80 WP | DuPont |
| Solicam | norflurazon | 78.6 DF | Syngenta |
| Sonalan HFP | ethalfuralin | 3 EC | Dow AgroSciences |
| Sonar A.S. | fluridone | 4 L | SePro |
| Spartan | sulfentrazone | 4 F; 75 DF | FMC |
| Specticle | indaziflam | 20 WSP | Bayer |
| Speed Zone South | carfentrazone + mecoprop + 2,4-D + dicamba | 2.2 EC (0.05 + 1.53 + 0.48 + 0.14 lb/gal) | PBI Gordon |
| Spike | tebuthiuron | 80 DF; 20 P | Dow AgroSciences |
| Stam M4 | propanil | 4 L; 80 DF | Dow AgroSciences |
| Staple LX | pyrithiobac | 3.2 SL | DuPont |
| Status | dicamba + diflufenzopyr | 61.1 WG (44 + 17.1%) | BASF |
| Steadfast Q | nicosulfuron + rimsulfuron | 37.7 WDG (25.2 + 12.1) | DuPont |
| Stinger | clopyralid | 3 SL | Dow AgroSciences |
| Storm | bentazon + acifluorfen | 4 SL (2.67 + 1.33 lb/gal) | UPI |
| Strada | orthosulfamuron | 50 WG | Isagro-USA |
| Strada Pro | orthosulfamuron + halosulfuron | 54 WG (42.05 + 11.92%) | Isagro-USA |
| Strada XT | orthosulfamuron + quinclorac | 70 WG (10 + 60%) | Isagro-USA |
| Strategy | ethalfuralin + clomazone | 2.1 L (1.6 + 0.5 lb/gal) | Loveland |
| Strongarm | diclosulam | 0.84 L | Dow AgroSciences |
| Super Wham | propanil | 4 EC | RiceCo |
| Suprend | prometryn + trifloxysulfuron | 80 WG (79.3 + 0.7%) | Syngenta |
| Sureguard | flumioxazin | 51 WG | Valent |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION, AND MANUFACTURER¹ continued: | | | |
|--|--|------------------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Surflan | oryzalin | 4 EC; 4 AS | Dow AgroSciences |
| Surge | 2,4-D + MCPP + dicamba + sulfentrazone | 0.06 + 1.4 + 0.5 + 0.22 | PBI Gordon |
| Surmount | picloram + fluroxypyr | 1.19 + 0.96 | Dow AgroSciences |
| Surpass | alachlor | 6.4 EC | Dow AgroSciences |
| Synchrony XP | chlorimuron + thifensulfuron | 28.4 XP (21.5 + 6.9%) | DuPont |
| Telar | chlorsulfuron | 75 DF | DuPont |
| Tordon 22K | picloram | 2 SL | Dow AgroSciences |
| Tordon K | picloram | 2 SL | Dow AgroSciences |
| Touchdown HiTech | glyphosate | 4.5 SL (acid eq.) | Syngenta |
| Touchdown IQ | glyphosate | 3 SL (acid eq.) | Syngenta |
| Touchdown Total | glyphosate | 4.17 SL (acid eq.) | Syngenta |
| Tower | dimethamid-P | 6 EC | BASF |
| Tradewind | bispyribac | 80 SP | Valent |
| Transline | clopyralid | 3 L | Dow AgroSciences |
| TranXit GTA | rimsulfuron | 25 DF | DuPont |
| Treflan | trifluralin | 10 G | Dow AgroSciences |
| Treflan HFP | trifluralin | 4 EC | Dow AgroSciences |
| Tribute Total | thiencarbazone-methyl + foramsulfuron + halosulfuron | 60.5 WDG (9.9 + 19.8 + 30.8%) | Bayer |
| Trimec Classic | 2,4-D + MCPP + dicamba | 2.7 EC (1.98 + 0.53 + 0.21 lb/gal) | PBI Gordon |
| Trimec Southern | 2,4-D + MCPP + dicamba | 3 EC (1.44 + 1.32 + 0.3 lb/gal) | PBI Gordon |
| Tupersan | siduron | 50 WP | PBI Gordon; Gowan |
| Turflon Ester | triclopyr | 4 L | Dow AgroSciences |
| Ultra Blazer | acifluorfen | 2 SL | UPI |
| Valor | flumioxazin | 51 WDG | Valent |
| Valor XLT | flumioxazin + chlorimuron | 40.3 WDG (30% + 10.3%) | Valent |
| Vanquish | dicamba | 4 SL | Syngenta |
| Vantage | sethoxydim | 1 EC | BASF; Microflo |
| Velpar | hexazinone | 75 DF; 2 L | DuPont |
| Verdict | saflufenacil + dimethamid-P | 5.57 EC (0.57 + 5 lb/gal) | BASF |

GLOSSARY OF HERBICIDES

| HERBICIDE TRADE NAME, COMMON NAME, FORMULATION, AND MANUFACTURER¹ continued: | | | |
|--|------------------------|---------------------------|---------------------|
| Trade Name | Common Name | Formulation | Manufacturer |
| Vista | fluroxypyr | 1.5 EC | Dow AgroSciences |
| Weedmaster | dicamba + 2,4-D | 3.87 SL (1 + 2.87 lb/gal) | BASF |
| XL | benefin + oryzalin | 2 G (1 + 1%) | Setre |
| Yukon | halosulfuron + dicamba | 67.5 WSG (12.5 + 55%) | Gowan |
| Zidua | pyroxasulfone | 85 WG | BASF |

¹ Liquid formulations include AC, applicator's concentration; CS, aqueous capsule suspension; E, EC, or EW, emulsifiable concentration; F, Flowable; L, liquid, ME, micro-encapsulated; SL, soluble liquid; S, suspension. Dry formulations include DF, dry flowable, DG, dispersible granules; G, granules, SE, suspoemulsion; SP, soluble powder, W, WG, and WDG, wettable dispersible granules, WP, wettable powder, WSG, wettable soluble granule.