

Lawns – Homeowner

Pest	Insecticide and Formulation	Amount per 1,000 Square Feet	Precautions and Remarks
Armyworms, fall armyworms, cutworms	Pyrethroids (Advance Lawn, Bug-B-Gone, Deltaguard, Talstar, others)	See label	
	Spinosad (several products available)	See label	
	B.t. (Thuricide, several products available) Carbaryl (Sevin) 50WP and baits	See label 6-8 oz.	Do not water into soil. Do not cut grass for one to three days after treatment.
Chinch bugs	Pyrethroids (Advanced Lawn, Bug-B-Gone, Deltaguard, Talstar, others)	See label	
Grubs, white	Carbaryl (50% WP) (Sevin)	6 oz.	
	Imidacloprid (Advanced Lawn Grub Control, others)	See label	
Imported fire ants	Acephate (Ortho Fire Ant Killer and others)	1-2 tsp/mound	Distribute uniformly over mound. For best results, apply in morning or late afternoon.
	Carbaryl (Sevin XLR)	See label	Use as mound drench.
	Hydramethylnon (Amdro Fire Ant Bait, Amdropro, MaxforceG)	See label	Use fresh bait. Repeat treatment usually required.
	Indoxacarb (Spectracide Fire Ant Once and Done) (Over n' Out Fire Ant Killer Mound Treatment)	See label	
	Methoprene (Extinguish) bait	See label	Mound or broadcast.
	Pyrethroids (Bayer Advanced, Ortho Fire Ant Killer, others)	See label	
	Spinosad (Come and Get It Fire Ant Bait by Fertilome, Entrust, Payback, Greenlight Fire Ant Control with Conserve, Green Light Fire Ant Killer with Spinosad Mound Drench)	See label	May be used in fruit and vegetable gardens.
Mole crickets	Carbaryl (Sevin) 80WP and baits	8 oz.	
	Fipronil (several products)	2 lb.	Apply as a broadcast.
	Imidacloprid (Advanced Lawn Grub Control)	See label	
	Pyrethroids (Advance Lawn, Bug-B-Gone, Deltaguard, Talstar)	See label	
Snails, slugs	Measuroil 2%B Metaldehyde	1 lb. See label	Apply in late afternoon. Toxic to dogs and cats.
Sod webworms	Carbaryl (Sevin) 80 WP 50 WP	6 oz. 8 oz.	Use 6 gallons of water plus the insecticide per 1,000 sq. ft. Treat in late afternoon. Do not cut grass for one to three days after treatment.