


**NOTES:**

1. SECURE PROPER REGULATORY APPROVAL BEFORE STARTING CONSTRUCTION.
2. VERIFY EXACT PARLOR DIMENSIONS (COW PLATFORM WIDTH AND STALL LENGTH) WITH STALL AND/OR FEEDER MANUFACTURER BEFORE STARTING CONSTRUCTION.
3. FAN(S) & ARTIFICIAL LIGHT MUST BE INSTALLED IN MILKING AREA. (WINDOW AREA IS LESS THAN 15% OF FLOOR AREA.)
4. ALL SWINGING DOORS ARE 3' WIDE.

**PLAN**

SCALE: 1/4" = 1'-0"




TWELVE STALL TRIGON  
MILK PARLOR


TN '83 EX. 6348 SHEET 1 OF 2

NOTE

SELECT TRUSSES THAT WILL WITHSTAND LOCAL SNOW AND WIND LOADS AND SUPPORT A  $5 \frac{1}{2}$  lb/ft<sup>2</sup> CEILING LOAD ON LOWER CHORD



SECTION A - A  
SCALE 3/8" = 1'-0"



TWELVE STALL TRIGON MILK PARLOR		
TN '83	EX. 6348	SHEET 2 OF 2

## Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.