

Nematode Management Ornamentals

Table I. Recommended nematicides, rates, and restrictions for managing nematodes in field and commercial ornamentals.

Crop	Product Choices ¹	Rate ²	Comments
Ornamentals	Paladin	35-51.3 gal (broadcast)	Follow label and observe temperature dependent waiting interval before planting (21-42 days).
	Dominus	10-40 gal	Waiting interval of 10-14 days before planting.
	Telone II	42-55 gal	FOLLOW MANUFACTURER'S INSTRUCTIONS. Wait at least 1 week for every 10 gal applied before planting.
	Telone C-17	50-66 gal	
	Telone C-35	60-79 gal	
	DiTera DF	13-100 lb (broadcast)	Apply pre-plant, at plant, or post-plant. Multiple applications may be required.
	Vapam HL K-Pam HL	37-75 gal 30-62 gal	Tarping may be used to improve efficacy.
	Pylon	5.2-10 fl oz/100 gal	For foliar nematode. Make first application at first signs of damage and second at 7-14 days.
	Basamid G	302-446 lb	Mechanically incorporate to a depth of 6 inches. Follow label and observe temperature dependent waiting interval before planting.
	Mocap EC	2 qt (broadcast)	Incorporate 2-4 inches. Stock may be transplanted into the treated area after 72 hours. Pertains to field nursery stock only.

¹Reference to commercial or trade names is made with the understanding that no discrimination or endorsement of a particular product is implied by LSU or the LSU AgCenter.

²Rates are the amount of formulation (product) per acre unless otherwise indicated.

The nematode section for ornamentals was revised October 2022 by T. Watson.