

BACK VIEW OF FEEDER **SIDE VIEW OF FEEDER**

FEEDER: BACK AND SIDES ARE ENCLOSED WITH 5/8" PLYWOOD

NOTES: ALL EXPOSED WOOD EDGES SHOULD BE COVERED WITH PROTECTIVE METAL OR HARDWARE CLOTH


USE PIPE CLAMPS OR TINNERS TAPE TO ATTACH TOP ENDS OF PIPE ALONG HAY RACK AND FEED AREA.

* DEPTH OF SUPPORT POSTS SHOULD BE 3' MINIMUM OR BELOW THE FROST LINE

SCALE 1/2" = 1'-0" 12" 6" 0 1' 2'

BASED ON: PENN. STATE UNIV. PLAN NO. 728-392

NOTE: CONSULT LOCAL HEALTH AND BUILDING CODE AUTHORITIES BEFORE STARTING CONSTRUCTION



BUCK GOAT YARD

PA.	'78	6300	SHEET	OF 1
-----	-----	------	-------	------

Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.