



- CONSTRUCTION CHECK LIST**
1. CHECK LOCAL BUILDING CODE & LOAN COMPANY CRITERIA
 2. ADEQUATELY NAIL AND ANCHOR JOINTS.
 3. DOUBLE JOISTS UNDER TUB AND OTHER HEAVY LOADS.
 4. SHEATH CORNERS WITH 1/2" PLYWOOD OR HIGH DENSITY FIBERBOARD OR USE DIAGONAL BRACING.
 5. USE EXTERIOR GLUED PLYWOOD WHEREVER IT MAY BE WETTED DURING OR AFTER CONSTRUCTION.
 6. PRESSURE TREAT ALL WOOD WITH GROUND CONTACT & PROVIDE OTHER NEEDED TERMITE CONTROL.
 7. R VALUES DEPEND ON LOCAL CLIMATE AND FUEL COSTS.
 8. PROVIDE 1 SQ FT ATTIC VENT OPENINGS FOR EACH 150 SQ FT OF CEILING.
 9. WEATHERIZE ALL OPENINGS AND JOINTS.




FIRST FLOOR PLAN



960 sq. ft. HEATED AREA

DOOR SCHEDULE			
MARK	SIZE	DESCRIPTION	NO. REQ.
1	3'0" x 6'0"	FLUSH PANEL EXTERIOR GLAZE	2
2	2'8" x 7'0"	FLUSH PANEL EXTERIOR GLAZE	1
3	2'8" x 6'8"	FLUSH PANEL INTERIOR	3
4	2'6" x 6'8"	FLUSH PANEL INTERIOR	1
5	2'0" x 6'8"	FLUSH PANEL INTERIOR	2
6	1'6" x 6'8"	FLUSH PANEL EXTERIOR	2
7	2'6" x 6'8"	B1-FOLD DOORS	7
8	2'3" x 6'8"	B1-FOLD DOORS	2


WINDOW SCHEDULE			
MARK	SIZE	DESCRIPTION	# REQ.
A	2'0" x 4'6"	DOUBLE HUNG SASH	4
B	2'8" x 4'6"	DOUBLE HUNG SASH	6
C	2'8" x 3'2"	DOUBLE HUNG SASH	1
D	2'0" x 3'2"	DOUBLE HUNG SASH	1
E	4'0" x 4'6"	FIXED GLASS	1




3-BEDROOM FARMHOUSE

USDA-64 7168 SHEET 1 OF 2


REV. '85




FRONT ELEVATION





RIGHT ELEVATION





LEFT ELEVATION




REAR ELEVATION



SECTION A-A



FOUNDATION PLAN



3-BEDROOM FARMHOUSE

USDA-'64 7168 SHEET 2 OF 2

REV.'85