



PLAN  
FRAME  
CONSTRUCTION




SECTION AT-A (BRAKE)  
2 1/2" = 1'-0"


NOTE -  
23 GAUGE SHEET ALUMINUM  
FASTENED TO CONDUIT FRAME  
WITH 1/2" #6 SELF STARTING  
SHEETMETAL SCREWS.




PLAN




SECTION AT-B (JOINT)  
FULL SCALE




FRONT VIEW



SIDE VIEW




SECTION AT-C (JOINT)  
FULL SCALE




FRONT VIEW

NOTE -  
CURTAIN, (CANVAS OR PLASTIC) TO BE  
DRAPED AROUND OPEN SIDES FOR  
FIRST FEW WEEKS THEN REMOVE.

NOTE -  
THIS BROODER IS DESIGNED  
FOR LOUISIANA CONDITIONS.



EXPLODED VIEW OF HEAT SLAB (BASE) - 1" = 1'-0"



SECTION THRU BASE  
3" = 1'-0"

<b>LSU</b> <b>AgCenter</b> <small>Research &amp; Extension</small>	
<b>L.S.U. ELECTRIC PORTABLE UNDERHEAT BROODER</b>	
ENGINEER <b>LSU AGR. EXP. STA.</b> <b>J. H. HOUGH</b>	SCALE AS SHOWN
DRAWN BY <b>R. BIERY</b>	SHEET 1 OF 1
TRACED BY <b>RETRACED</b>	DATE <sup>55</sup> REV FEB '56 NO. 72-7

## Disclaimer

This site makes available conceptual plans that can be helpful in developing building layouts and selecting equipment for various agricultural applications. These plans do not necessarily represent the most current technology or construction codes. They are not construction plans and do not replace the need for competent design assistance in developing safe, legal and well-functioning agricultural building system. The LSU Agriculture Center, the Mid-West Plan Service, the United States Department of Agriculture and none of the cooperating land-grant universities warranty these plans.